

DOCUMENT OF COMPLIANCE FOR THE CARRIAGE OF DANGEROUS GOODS

No. 104247-V001-002

issued in pursuance of the provisions of Regulation II-2/19.4 of the
INTERNATIONAL CONVENTION FOR SAFETY OF LIFE AT SEA, 1974,
as amended,
under the authority of the Government of the



Antigua and Barbuda

RINA No. 104247

by

RINA SERVICES S.p.A.

Name of ship	Distinctive Number or Letters	Gross Tonnage
GT DELPHIN	V2RA3	2545
Port of Registry	Type of ship	IMO Number ¹
ST.JOHN'S	General cargo ship	9401245

THIS IS TO CERTIFY:

1. that the construction and equipment of the above mentioned ship were found to comply with the provisions: **of Regulation II-2/19.3 as applicable according to II-2/1.2.4 (*)** of the International Convention for the Safety of Life at Sea, 1974, as amended; and,
2. that the ship is suitable for the carriage of those classes of dangerous goods as specified on page 2 of this document, subject to any provisions in the International Maritime Dangerous Goods (IMDG) Code and the International Maritime Solid Bulk Cargoes (IMSBC) Code for individual substances also being complied with.

This Certificate is valid until: **07 February 2028**

Issued at: **HELSINKI**

on: **04 August 2023**



This is an electronically signed document in accordance with IMO FAL.5/Circ.39 and does not require a handwritten signature. Validation and authentication of the paper printout may be obtained from <https://ecertificate.rina.org>

Serenoks Mihails

RINA SERVICES S.p.A.

¹ In accordance with the IMO Ship Identification Number Scheme, adopted by the Organization by resolution A.600(15).

(*) There are no special requirements in the above mentioned Regulation II-2/19, for the carriage of dangerous goods of classes 6.2 and 7, and for the carriage of dangerous goods in limited quantities as required in chapter 3.4 of the IMDG Code, and excepted quantities as required in chapter 3.5 of the IMDG Code

CARGO SPACES ARE IDENTIFIED ON HOLD PLAN OF PAGE 3 WITH INDICATION OF RELEVANT GROUP

CLASS	GROUP OF CARGO SPACES WITH SAME CLASSES ALLOWED					
	A	B	C	D	E	F
1.1÷1.6 Explosives	X	P	-	-	-	-
1.4 S Explosives	P	P	-	-	-	-
2.1 Flammable gases	P (1) (4)	P	-	-	-	-
2.2 Non-flammable, non-toxic gases	P (1)	P	-	-	-	-
2.3 Toxic gases (flammable)	X	P	-	-	-	-
2.3 Toxic gases (non flammable)	P (1)	P	-	-	-	-
3 Flammable liquids (fp <23°C c.c.)	P (1) (4)	P	-	-	-	-
3 Flammable liquids (fp 23°C÷60°C c.c.)	P (1)	P	-	-	-	-
4.1 Flammable solids	A (1)	P	-	-	-	-
4.2 Spontaneous combustion substances	A (1)	P	-	-	-	-
4.3 Water reactive substances (liquids)	P (1) (2)	P	-	-	-	-
4.3 Water reactive substances (solids)	A (1)	P	-	-	-	-
5.1 Oxidizing substances	A (3)	P	-	-	-	-
5.2 Organic peroxides	X	P	-	-	-	-
6.1 Toxic substances (liquids)	P	P	-	-	-	-
6.1 Toxic substances (liquids fp <23°C c.c.)	P (1) (4)	P	-	-	-	-
6.1 Toxic substances (liquids fp 23°C÷60°C c.c.)	P (1)	P	-	-	-	-
6.1 Toxic substances (solids)	A	P	-	-	-	-
8 Corrosive substances (liquids)	P	P	-	-	-	-
8 Corrosive substances (liquids fp <23°C c.c.)	P (1) (4)	P	-	-	-	-
8 Corrosive substances (liquids fp 23°C÷60°C c.c.)	P (1)	P	-	-	-	-
8 Corrosive substances (solids)	A	P	-	-	-	-
9 Miscellaneous dangerous substances	A (5)	P	-	-	-	-

P = In packaged form;


A = In packaged form and in bulk (*);

X = not allowed


(*) Cargoes in bulk are listed individually by name and class in the attached sheet.

CARGO SPACES WITH INDICATION OF RELEVANT GROUP

UNDERDECK SPACES



WEATHER DECK SPACES



Group	Description of cargo spaces belonging to the same group with same classes allowed
A	Cargo Hold
B	Weather Deck
C	
D	
E	
F	

NOTES

1	At least 3m distance to machinery space bulkhead.
2	Except goods having a flashpoint less than 23°C listed in the IMDG Code.
3	At least 3m distance to machinery space bulkhead if stowage "protected from sources of heat" is stipulated by the IMDG Code.
4	The following electrical equipment in cargo space is to be isolated from the electrical supply and is to be secured against unintentional reconnection: humidifier plant, electric sockets, hold entrance lighting.
5	For goods evolving flammable vapours, the following electrical equipment in cargo space is to be isolated from the electrical supply and is to be secured against unintentional reconnection: humidifier plant, electric sockets, hold entrance lighting.

ENDORSEMENT FOR ANNUAL SURVEYS

THIS IS TO CERTIFY: that, at the annual survey required, the ship was found to comply with the relevant provisions of SOLAS 74 as amended.

Annual survey	Signature and seal
Place	
Date	
Annual survey	Signature and seal
Place	
Date	
Annual survey	Signature and seal
Place	
Date	
Annual survey	Signature and seal
Place	
Date	

ATTACHMENT TO THE DOCUMENT OF COMPLIANCE FOR THE CARRIAGE OF DANGEROUS GOODS

PRODUCTS	CLASS
SULPHUR UN 1350 (See Notes 1, 2)	4.1
METAL SULPHIDE CONCENTRATES, Self-heating UN 3190 (See Note 1)	4.2
SEED CAKE UN 2217 with not more than 1.5% oil and not more than 11% moisture (See Note 1)	4.2
SEED CAKE, containing vegetable oil UN 1386 (b) solvent extractions and expelled seeds, containing not more than 10% of oil and when the amount of moisture is higher than 10%, not more than 20% of oil and moisture combined (See Notes 1, 2)	4.2
COPRA (dry) UN 1363 (See Note 1)	4.2
FERROUS METAL BORINGS, SHAVINGS, TURNINGS or CUTTINGS UN 2793 (See Note 1)	4.2
SEED CAKE, containing vegetable oil UN 1386 (a) mechanically expelled seeds, containing more than 10% of oil or more than 20% of oil and moisture combined (See Note 1)	4.2
IRON OXIDE, SPENT or IRON SPONGE, SPENT UN 1376 (See Note 1)	4.2
FERROSILICON UN 1408 (See Notes 1, 2)	4.3
ALUMINIUM SMELTING BY-PRODUCTS UN 3170, or ALUMINIUM REMELTING BY-PRODUCTS UN 3170 including but not limited to: ALUMINIUM DROSS, ALUMINIUM SALT SLAGS, ALUMINIUM SKIMMINGS, SPENT CATHODES, SPENT POTLINER (See Notes 1, 2)	4.3
ZINC ASHES UN 1435 (See Notes 1, 2)	4.3
ALUMINIUM SILICON POWDER, UNCOATED UN 1398 (See Notes 1, 2)	4.3
ALUMINIUM FERROSILICON POWDER UN 1395 (See Notes 1, 2)	4.3
CALCIUM NITRATE UN 1454	5.1
AMMONIUM NITRATE UN 1942 (See Notes 1, 2)	5.1
AMMONIUM NITRATE BASED FERTILIZER UN 2067 (See Notes 1, 2)	5.1
POTASSIUM NITRATE UN 1486	5.1
SODIUM NITRATE UN 1498	5.1
ALUMINIUM NITRATE UN 1438	5.1
SODIUM NITRATE AND POTASSIUM NITRATE MIXTURE UN 1499	5.1
LEAD NITRATE UN 1469	5.1
MAGNESIUM NITRATE UN 1474	5.1
BARIUM NITRATE UN 1446	5.1
METAL SULPHIDE CONCENTRATES, Corrosive UN 1759	8
CASTOR BEANS or CASTOR MEAL or CASTOR POMACE or CASTOR FLAKE UN 2969	9
FISHMEAL (FISH SCRAP), STABILIZED UN 2216	9
AMMONIUM NITRATE BASED FERTILIZER UN 2071 (See Notes 1, 2)	9
SPECIAL REQUIREMENTS	
<p>1. Stowage at least 3m distance to machinery space bulkhead.</p> <p>2. The following electrical equipment in cargo space is to be isolated from the electrical supply and is to be secured against unintentional reconnection: humidifier plant, electric sockets, hold entrance lighting.</p>	

Issued at: **HELSINKI**

on: **04 August 2023**



This is an electronically signed document in accordance with IMO FAL.5/Circ.39 and does not require a handwritten signature. Validation and authentication of the paper printout may be obtained from <https://ecertificate.rina.org>

Serenoks Mihails

RINA SERVICES S.p.A.